





THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

# NOTICE INVITING TENDER ENQ.NO-001/2019-2020/EM Dt-12.04.2019

## TENDER DOCUMENT FOR SUPPLY AND FIXING OF OUTDOOR KIDS PLAY EQUIPMENTS TO BASS SCHOOL OF KALAKSHETRA

#### AT


## KALAKSHETRA FOUNDATION, THIRUVANMIYUR **CHENNAI - 600041**

**PH-** 044 – 24524057 / 0836

E-Mail: tender@kalakshetra.in

Website: www.kalakshetra.in

\*\*\*\*\*\*







THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

Kalakshetra Foundation, an Autonomous Body under the Ministry of Culture, Govt. of India, invites sealed tenders, in the enclosed format from the Manufactures, Authorised dealers, Suppliers and registered contractors (CPWD/State PWD/ Railway / MES / BSNL /Reputed Central or State PSUs/Autonomous Body/similar govt. agencies undertaking of similar nature for "SUPPLY AND FIXING OF OUTDOOR KIDS PLAY EQUIPMENTS TO BASS SCHOOL OF Kalakshetra Foundation, Thiruvanmiyur, Chennai- 41."

The sealed tenders along with proof of registeration certificate, GST.No, PAN NO, REGN.NO should reach the Director, Kalakshetra Foundation, Thiruvanmiyur, Chennai-41, on or before **29/04/2019** up to **1.00 p.m**. by post or by hand delivery and same will be opened on the same day **at 3.00 pm** itself in the presence of the tenderer or his/her representatives if they chose to attend. Late/delayed tenders received, due to any reason whatsoever will not be accepted under any circumstances.

In case bidders need any clarification/assistance may contact Estate Manager on any working day during the office hours and can be contacted at 044- 24524057/0836.

1.	Name of the work	SUPPLY AND FIXING OF OUTDOOR KIDS PLAY						
		EQUIPMENTS TO BASS SCHOOL OF KALAKSHETRA						
		FOUNDATION, THIRUVANMIYUR, CHENNAI- 41.						
2.	NIT No	ENQ.NO-001/2019-2020/EM Dt-12.04.2019						
3.	Tender documents	The tender documents are to be downloaded						
		either from the Foundation's website at						
		www.kalakshetra.in or www.eprocure.gov.in						
		from 12.04.2019, 10 AM onwards. If there is any						
		difficulty in downloading the documents, same						
		can be collected from the Foundation's Office free						
		of cost on any working day between 10 AM to 5 PM						
		till 26.04.2019, 5 PM.						
4.	Pre-bid meeting if required	22.04.2019 at 3 PM (the meeting will be held only						
		if required). Queries if any should be sent in						
		advance by email at tender@kalakshetra.in so that						
		the Foundation is ready with clarifications						







THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

5.	Last date and time for	29.04.2019 up to 01.00PM
	receipt of completed	
	Tenders	
6.	Date and Time of Opening	29.04.2019 at 03.00PM
7.	Amount of Earnest Money	Rs.10,000-00 (ten thousand only)
	Deposit (EMD)	
8.	Period of completion	20 days (twenty five)

The Kalakshetra reserves the right to accept or reject, wholly or partly, any or all the applications without assigning any reason whatsoever. Kalakshetra decision in this regard will be final and binding on all applicants.

This issues with the approval of the competent authority.

For KALAKSHETRA FOUNDATION








THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

#### INSTRUCTIONS TO THE TENDER:


- 1. The intending bidder must read the terms and conditions carefully. He/she should only submit has bid if he/she considers himself eligible and he/she is in possession of all the documents required.
- 2. The sealed envelope must be super scribed "SUPPLY AND FIXING OF OUTDOOR KIDS PLAY EQUIPMENTS TO BASS SCHOOL OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41" with tender inquiry number and its due date.
- 3. The tender document should be filled in English and all entries should be typewritten or handwritten but there should not be any overwriting or cutting. Corrections, if any, shall be made by neatly crossing out, initialling, dating and rewriting.
- 4. The price/rate quoted should be indicated in words as well as in figures. If there is a discrepancy between words and figures, the lesser amount shall be considered as valid. If the tenderer does not accept the correction of the errors, the bid shall be rejected.
- 5. All pages provided in the tender document shall be numbered and submitted as a package along with forwarding letter on agency's/firm's letter head with signed and sealed before their submission.
- 6. Rates should be quoted as shown in format schedule and all applicable taxes and duties levied by government should be clearly mentioned by tenderer separately.
- 7. Tenders qualified by such vague and indefinite expressions such as "subject to prior confirmation", "subject to immediate acceptance" etc. will be treated as vague offers and rejected accordingly.
- 8. The instructions given herein will be strictly binding on the tenderers and deviation, if any, not acceptable to the Kalakshetra Foundation, will make the tender or tenders liable to be considered invalid. Tender(s) incorporating additional conditions by the tenderer(s) are liable for rejection.
- 9. At any time, prior to the date of submission of bids, Kalakshetra Foundation for any reason, whether at its own initiative or in response to clarification(s) sought by prospective bidders, may issue clarifications by amending the bid documents. All such amendments shall be notified and intimated by e-mail to all the tenderers. All such amendments have to be considered as mandatory constituent part of the tender document.







- 10. The tenderers shall fill up the (Part I) in prescribed format and submit the same duly signed on all pages and sealed as a token of their acceptance. Incomplete tenders i.e. "Part-I" without all the supporting documents, EMD and duly filled in, copy of valid trade license, copy of contract registration, Copy of GST registration & PAN.NO certificate, Address proof of the firm signed and stamped with official seal in all the pages will be rejected straightway without any reference to the tenderers.
- 11. The tenderers shall quote their item rate in the schedule of quantities (Financial Bid) and submit the same duly signed and sealed. Overwriting in the Financial Bid is not permitted and shall be rejected straightway without any further reference.
- 12. Conditional tenders shall not be accepted.
- 13. Tenders submitted via electronic transmission or through e-mail shall not be accepted.
- 14. In case the last date of receipt/opening of tender is declared as a holiday, the tenders shall be opened on the next full working day.
- 15. The authorities of Kalakshetra Foundation do not bind themselves to accept mere lowest tender and reserves the right to reject or accept any or all tenders wholly or partially without assigning any reason whatsoever.
- 16. The bids shall be valid for a period of 45 days from the date of opening of the tender.
- 17. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 18. Tender is not transferable. One tenderer shall submit only one tender.
- 19. Tenderer signing the tender must clearly, specify whether he/she is signing as Sole Proprietor, Authorized person, Partner, under Power of Attorney or as Director/Manager/Secretary etc., as the case may be.
- 20. In case the tenderer fails to submit any of the required documents as per tender document or found unsuitable to execute the tendered job shall not be considered and shall be rejected straight away without any further reference.
- 21. The successful contractor shall not transfer wholly or partially the order of work to any other person(s) / firm / company for any reason whatsoever and in which case the order shall automatically stand cancelled.








THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

- 22. Tender document submitted by the participants should be concise and contain only relevant information as required under this tender.
- 23. The participant would be responsible for all of its expenses, costs and risks incurred towards preparation of the tender document, attending any pre-bid meeting and visiting the site or any other location in connection therewith. Kalakshetra Foundation shall, in no case, be responsible or liable for any such costs whatsoever, regardless of the outcome of the tender process.
- 24. Specifications to be followed for execution of work for Civil Work: CPWD specifications 2009 Vol. I to II with up to date correction slips.

#### **GENERAL TERMS AND CONDITIONS**


- 1. The successful tenderer shall start work within 4 (four) working days from the date of award of work. The duplicate copy of the award letter duly signed with official stamp on all the pages to be submitted as a token of acceptance of the order.
- 2. The contractor shall also arrange for proper storage of the accessories at site and will be responsible for their watch ward.
- 3. All precautions not to damage the KF property shall be taken by the contractor. If any damage is caused to any structure etc. the same shall be made good by the contractor at his cost to the satisfaction of KF authority.
- 4. No payment will be made to the contractor for damage caused by rains during the execution of the works and no claim on this account will be entertained.
- 5. Wherever any reference to any Indian Standard Specification occurs in the documents relating to this contract the same shall be inclusive of all amendments issued there to or revision thereof if any, up to the date of receipt of tenders.
- 6. Unless otherwise specified in the schedule of quantities the rates for the various items are for all heights and locations.
- 7. The tenderer shall study the item description, the relevant drawings and satisfy him the item of work to be carried.







- 8. The contractor shall take instructions from the KF authority for stacking of materials in any place. No excavated earth or building material shall be stacked on areas where other buildings, roads, services compound walls are to be constructed.
- 9. Some restrictions may be imposed by the security staff etc., on the working and for movement of labour, materials etc. The contractor shall be bound to follow all such restrictions/instructions and nothing extra shall be payable on this account.
- 10. The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards and by providing red flags, red lights and barriers. The contractor shall be responsible for any accident at the site of work and consequences thereof.
- 11. It shall be deemed that the contractor shall satisfied himself as to the nature and location of the work, transport facilities, availability of land for setting up of camp etc. The KF will bear no responsibility for lack of such knowledge and the consequences thereof.
- 12. Water Supply: The Contractor has to make his own arrangements for water required for the work at work sites. If the supply is arranged by the KF, 1% of the value of the work done will be recovered from final bill.
- 13. Electrical Power: The Contractors will have to make their own arrangements for drawing electric power from the nearest power line after obtaining permission from the TNEB at his own cost. If the supply is arranged by the KF, necessary Tariff rates shall have to be paid based on the actual consumption.
- 14. General Terms of payment:
  - a) The rate quoted should be item rate.
- b) Tender should be submitted in sealed cover along with the Earnest Money of Rs.10,000/-(Rupees ten thousand only). The EMD is to be furnished in the form of Account Payee Demand Draft/ Fixed Deposit Receipt /Banker's cheque/BG from any of the schedule bank/ Nationalised Bank drawn in favour of KALAKSHETRA FOUNDATION payable at Chennai. In case of entities exempted from EMD, certificate may be furnished. EMD in any other form will not be accepted as valid EMD. EMD submitted by other bidders will be returned within 15 days after the award of contract. No interest will be paid on the Earnest Money deposited with the Kalakshetra Foundation. Earnest Money deposit in respect of the successful tenderer will be retained with the Kalakshetra Foundation until entire work as per terms and conditions of the tender is completed. If the successful tenderer fails to execute the order strictly as per the terms and








THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

conditions of the tender, EMD shall be forfeited forthwith after cancellation of the concerned order.

- c) No advance/part payments shall be released. Payment to the successful contractor will be paid at the end of successful completion of work on submission of bill. Payments will be made either by cheque or RTGS/NEFT within 10 (Ten) working days only after the satisfactory completion of work.
- d) 2% (Two) Retention amount on the total value of work will be deducted at the time of passing the bills. The retention amount withheld by KF will be returned at the end of defects liability period of one year. No interest will be paid for the retention amount.
- e) Income Tax, GST whichever is applicable at the prevailing rates as applicable from time to time shall be deducted as per extant rules. Quoted rates shall be inclusive of applicable GST. Failing which it shall be presumed that the prices include all such charges and no claim for the same will be entertained.
- f) Revision of rates will not be permitted for any reason including during the extended period.
- g) In the event of failure of work action will be taken to rescind the work and the work will be get through other agencies at contractor's risk and cost.
- h) Deduction of any liability/damages incurred on behalf of the Service Provider/Contractor in the discharge of his/their obligations under this Tender.
- i) During the progress of work, the Contractor/representative shall remain in touch with the Kalakshetra Foundation authorities and ascertain from them whether any excess over sanctioned cost is anticipated and/or has already occurred.
- j) Evaluation of Bids & Award of Contract: The Bids shall be evaluated on item rate basis and award shall be placed accordingly on L-1 basis as evaluated on item rate basis.
- 15. Time of Completion: Time is the essence of the contract. If contractor fails to complete the work with in stipulated period, Liquidated Damage (L.D.) @1% of actual contract amount per week shall be recovered from the bill of the successful tenderer subject to a maximum of 10% of the contract amount.








THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

- 16. TERMINATION OF AGREEMENT: The agreement/work order herein may be terminated at any time by either party by giving a written notice of 15days to the other party.
- 17. Unless otherwise specified in the schedule of quantities the rates for the various items are for all heights and locations.
- 18. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e. cartage, GST and stacking at required place etc.
- 19. The dismantling wherever required shall be done in a manner so that no other portions of the building or its fixtures are damaged. If any damage done to the building it shall be made good by the contractor at his own cost and no claim what so ever shall be entertained on this account.
- 20. The malba/garbage generated at site due to construction activities shall be removed from the Site to the location specified by KF.
- 21. The contractor shall clean the site thoroughly by removing scaffolding, surplus materials, rubbish, equipments left out of his work and shall dress the site around the building to the complete satisfaction of the KF authority before the work is treated as complete.
- 22. All the materials like cement, sand & stone chips etc. shall be arranged by the contractor. No material will be issued from KF stores.
- 23. All the tools & safety arrangement will be arranged by the contractor. The safety arrangement shall be made by the contractor as per site requirement at his own cost.
- 24. The contractor will ensure proper curing of cement work as per direction of KF authority.

#### GENERAL MATERIALS SPECIFICATIONS:-

- 1. PIPES: All pipes shall be galvanized steel of reputed make like TATA, Zenith, Jindal of 'A' Class with stabilized pure polyester powder coating.
- 2. FIBREGLASS REINFORCED PLASTIC:-All FRP product shall be made of top quality polyester resin of reputed brands and virgin standard glass made of reputed brand only. The moulding of FRP is done by contact moulding and has a minimum tensile strength of 60 mpa. The FRP products to be all self-pigmented, food grade materials with U.V stabilized.








THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

- 3. ROTOMOULDED PLASTICS:- LLDPE and HDPE with self-pigmented colour and U.V stabilized shall be use in the roto moulded plastic product. The product are seamless for long life and durability ( LLDPE : Linear Low Density Poly Ethylene & HDPE : High Density Poly Ethylene.
- 4. SWING SEATS :- It shall be made of synthetic rubber reinforced with heavy duty canvas & has a chequered and water silence.
- 5. BEARINGS: All bearing shall be of reputed make (SKF) & press fitted for smoot rotation with lubricant and water silence.
- 6. FABRICATION: All bolts & nuts totally galvanized. All steel components shall be welded by electric arc welding using the best quality welding rods. All welded joints are to be properly rounded & coated with an epoxy sealant for rust resistance. All sheet components shall be galvanized for rust resistance.
- 7. POWDER COATING: The powder is to sprayed onto the substrate by means of static electric gun to ensure uniform powder thickness all over. The thickness maintained shall be a minimum of 50 to 80 microns. (dry films thickness)
- 8. MANUFACTURING:-The relevant Indian standard shall be followed for playground equipment.
- 9. FIXING :- Designing, fabricating, manufacturing, transporting to site, assembling and installation of the play equipment's in position at site with cement concrete 1:1.5:3 grade P.C.C. with M.S. Base plate in a pit of 45 cm x 45 cm x 45 cm deep including excavation, concreting, fixing as required at the site with all labours, materials, royalties & taxes etc. complete.
- 10. Note: The item includes 12 months warrantee with minimum 4 times visits for maintenance such as oiling, greasing & nut-bolts tightening etc. Bidders must provide official warranty document for all the equipment.
- 11. Repeat Order Clause: The Kalakshetra Foundation can order up to 50% quantity of the items under the present contract within six months from the date of supply/successful completion of the work, the cost, terms & conditions remaining the same. The bidder is to confirm acceptance of this clause. It would be entirely the discretion of the Kalakshetra Foundation to place the repeat order or not.
- 12. Rejection of Materials not conforming to specification:

Any Stock or batch of material(s) of which sample(s) does not confirm to the prescribed test and quality, shall be rejected by the KF authority or his representative and such materials shall be removed from site by the contractor at his own cost. Such rejected materials shall not be made







THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

acceptable by any modifications. Materials not corresponding in character and quality with approved samples will be rejected by the KF authority or his representative and shall be removed from the site immediately and will not be allowed to use for any component of work.

- 13. The successful L1 bidder has to furnish shop-drawing along with installation details duly depicting the placement of various play equipment at the playground. The same should be approved by KF authority before taking up the job.
- 14. FOUNDATION AND INSTALLATION: The equipment is required to be fixed in open ground which include excavation of earth and suitable concrete foundation to bear the load of the equipment with the children. Besides adjoining area has to be filled with sand to prevent the children from getting hurt. The filling of the sand should be minimum of 6 inches including safe play area. Work has to be completed as per direction of the KF authority and specified notes.
- 15. Bidders must provide attached materials specification and safety quality for each equipment. All tests/ inspection of equipment shall be carried out as per ISI. KF if desired, can depute his officer or an outside agency for carrying out inspection and they will authorized inspection agencies of the KF.
- 16. Kalakshetra Foundation have the right to increase or decrease the quantities of the orders.
- 17. The contract shall not be assigned or sublet whole or part of the works without the written approval of the KF authority.

ARBITRATION CLAUSE: - In the event of any dispute arising out of or in connection with this tender/contract/work order, whether during the subsistence of the contract or thereafter, the matter shall be referred to the Director, KALAKSHETRA FOUNDATION or any other officer nominated by the Director, KALAKSHETRA FOUNDATION for arbitration whose decision shall be final and binding on the parties. The proceedings before the Arbitrator would be governed by the provision of the Arbitration and Conciliation Act, 1996. The place of arbitration shall be Kalakshetra Foundation, Chennai.

The courts of Chennai will have exclusive jurisdiction for any issue/ dispute arising out of or in connection with the contract including relating to the arbitration proceedings.

k\*\*\*\*







Date:

#### KALAKSHETRA FOUNDATION

THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

(Part-I) ENQ.NO-01/2019-2020/EM Dt-12.04.2019

To The Director Kalakshetra Foundation Thiruvanmiyur, Chennai - 600 041.

Dear Sir/Madam,

SUB: Tender for "SUPPLY AND FIXING OF OUTDOOR KIDS PLAY EQUIPMENTS TO BASS SCHOOL OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41"

With reference to your tender enquiry cited above, we are pleased to enclose the Part-I for your kind consideration (as per prescribed format).

Oui	Company profile	
i	Name of the agency/Contractor	
ii	Mailing address of the agency with PIN Code	
iii	Status of the Agency: Proprietor / Partnership / Regd. Company / Co-op. Society	
iv	Contact details	
	Telephone numbers(s)	:
	Fax number(s)	:
	E-mail address	:
	Website	:
v	GST registration No	
vi	PAN no.	
vii	Trade license no.	
viii	Bankers and their address	
	along with type of Account &	
	Account No	
ix	E.M.D details	
X	Manufactures, Authorised dealers, Suppliers and registered contractors – certified copy to be enclosed.	

We confirm that we shall abide by all the tender conditions and we do not have any additional conditions.

Thanking you,

Yours faithfully, Signature with date and name of the signatory Name of the Agency (Seal of the agency)

Note: You may please attach a separate sheet as annexure for providing the details







THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

#### FINANCIAL BID DOCUMENT - (Part-II)

ENQ.NO-01/2019-2020/EM Dt-12.04.2019 (Schedule of Quantities)


The Director Kalakshetra Foundation Thiruvanmiyur, Chennai – 600 041.

Dear Sir/Madam,

SUB:- Tender for "SUPPLY AND FIXING OF OUTDOOR KIDS PLAY EQUIPMENTS TO BASS SCHOOL OF KALAKSHETRA FOUNDATION, THIRUVANMIYUR, CHENNAI- 41"

With reference to your tender enquiry cited we are pleased to enclose the following as our financial bid for your kind consideration (as per given format).

S.No	Description of Item	Make	Qty	Unit Rate	GST@%	Amount
		(Pl. specify the				
		make quoted by				
		you				
1.	Kiddies 4 SEATER SEE SAW - FRP  Providing, Erecting, Fixing the Kiddies 4 SEATER SEE SAW - FRP play equipment by fixed with 40 mm dia galvanized iron pipe with pivot made up of concentric seamless bushes with a wall thickness of 6 mm. The seats are made up of two layers of fibre reinforced polymer rigidly bonded with ISO resin. Handles are provided for safety with 19 mm dia galvanized iron pipe of b class. For structural parts GI Pipes and MS Steel (including cutting, fitting, welding, bolting, bearing and smooth grinding etc.) complete shall be polyester powder coated having min. thickness of 50 microns. Quoted rate including all necessary civil works like excavation, concrete, plaster, finishing, filling of the sand, foundation & fixing, curing etc., and painting if required as per the instruction of KF.		1.unit (one)			







			*******	
2.	Merry-go-round 6 seater- FRP  Providing, Erecting, Fixing the Merry-go-round 6 seater- FRP play equipment by fixed with rotor mechanism made up of 40 mm dia mild steel shaft fitted with 2 nos 6208 sealed ball bearings in addition to the truss bearing made up of 8 mm steel balls. Height: 2 1/4ft width: 6ft. the seats are FRP made up 3 layers of fiber mat coated with ISO resin. It accommodates six children at a time. All structural parts GI Pipes and MS Steel (including cutting, fitting, welding, bolting, bearing and smooth grinding etc.) complete shall be polyester powder coated having min. thickness of 50 micron. Quoted rate including all necessary civil works like excavation, concrete, plaster, finishing, filling of the sand, foundation & fixing, curing etc.,	1.unit (one)		
3.	BUCKET SWING- 2 SEATER FRP  Providing, Erecting, Fixing the BUCKET SWING- 2 SEATER FRP play equipment by fixed with A frame of 1 ½" galvanized 'b' class pipe. Cross bars are of 50mm 'b' class galvanized pipes, 9mm stainless steel chain (grade -304) and swing seats are of FRP bucket seats reinforced with 12 mm mild steel rods bonded with ISO resin. All structural parts GI Pipes and MS Steel (including cutting, fitting, welding, bolting, bearing and smooth grinding etc.) complete shall be polyester powder coated having min. thickness of 50 micron. Quoted rate including all necessary civil works like excavation, concrete, plaster, finishing, filling of the sand, foundation & fixing, curing etc., and painting if required as per the instruction of KF.	1.unit (one)		







	***************************************	*******	******	************	*****	
4.	Twin Slide With Arch  Providing, Erecting, Fixing the Twin Slide With Arch play equipment by fixed with fiber reinforced polymer twin slide, bed leg: 2nos with 1/2" galvanished 'c' class pipe fiber reinforced polymer arch, metal ladder 1' distance stairs gape, side metal frames, air hose, 2.1 mtr height. All structural parts GI Pipes and MS Steel (including cutting, fitting, welding, bolting, bearing and smooth grinding etc.) complete shall be polyester powder coated having min. thickness of 50 micron. Quoted rate including all necessary civil works like excavation, concrete, plaster, finishing, filling of the sand, foundation & fixing, curing etc., and painting if required as per the instruction of KF.		1.unit (one)			
5.	Spiral Slide Junior  Providing, Erecting, Fixing the Spiral Slide Junior play equipment fixed with fiber reinforced polymer slide made up of 3 layers of stranded mat coated with ISO resin and UV stabilized pigment. The ladder is fabricated with 32 mm dia galvanized iron pipe of b class with cross pipes of 12 mm dia GI pipes. All structural parts GI Pipes and MS Steel (including cutting, fitting, welding, bolting, bearing and smooth grinding etc.) complete shall be polyester powder coated having min. thickness of 50 micron. Quoted rate including all necessary civil works like excavation, concrete, plaster, finishing, filling of the sand, foundation & fixing, curing etc., and painting if required as per the instruction of KF.		1.unit (one)			







THIRUVANMIYUR, CHENNAI- 600 041 PH- 044- 24524057 / 0836

Multi Play Station  Providing, Erecting, Fixing the Multi Play Station equipment fixed with Leg:3" or 2 ½" galvanished 'b' class pipe Roof:fibre roof (glass fibre) Bed: fibre bed Swing chain: 8mm stainless steel chain (grade-304) Floor sheet: 16 gauge galvanished sheet Play bed height:5'& 6½'ft Total height:13' ft Product area: 35' ft * 15'ft, Play area:40' ft * 20' ft [component] circular swing frp-1 no, frp flower-2no, frp rock walk-1no, arch bridge-1no, arch frame-1no, frp spiral slide junior-1no, frp square roof-1no, frp square bed-2no, frp twin slide with arch-1no, frp step-1 no. [required area] product area:29ft * 16ft *13ft play area:34ft * 21ft *18ft. All structural parts GI Pipes and MS Steel (including cutting, fitting, welding, bolting, bearing and smooth grinding etc.) complete shall be polyester powder coated having min. thickness of 50 micron. Quoted rate	1.unit (one)		
including all necessary civil works like excavation, concrete, plaster, finishing, filling of the sand, foundation & fixing, curing etc., and painting if required as per the instruction of KF.			
TOTAL-			
Grand total in words -		•	

- We confirm that on being successful in the tender we would take up and execute the work.
- We confirm that we will abide by all the tender conditions and we do not have any additional conditions.
- Note: The above specifications are indicative only and details shall be provided during installation and hence the selected bidder should install the equipment's accordingly without deviation and without any kind of claim for additional time and/or additional payment beyond agreement/work order provisions.
- Images of the play equipment's only to have an rough idea/reference and not to scale. The actual product may differ from the above picture.

Signature with date and name of the signatory Name of the agency with seal

\*\*\*\*\*\*\*\*\*